

Mini PC

SLIM PC SPC 855 MF Fanless

Features

- Support Intel **Celeron M Processor Dothan 1.6GHz**
- Intel 855GME Chipset
- No Noise / Low Power Consumption
- 6.1"(W) x 10.0"(D) x 2.17"(H) or 15.5 x 25.5 x 5.5 cm)



Applications

- Car, Truck and Mobile PC
- NetPC, Set Top Box, Messaging Solution Controller
- Thin Client Applications, Diskless workstation
- Industrial system controller, Control Center, Data Center
Best fit Point of Sale Terminals, Self-Service System, Dept. Store, etc.

GEDO-TEC Elektronik GmbH
Goethestr. 28
65582 Diez

Tel. 0 64 32 / 16 54 Fax 0 64 32 / 6 11 08
E-Mail mail@gedotec.de



GEDO-TEC Electronic, Inc.
412 North White Street
Lancaster, SC 29721
Telephone + Fax (803) 313-5858
E-Mail mail@gedotec.com

Mini PC

SLIM PC SPC 855 MF Fanless

Intel Pentium M Processor

Intel Celeron M Processor

Processor	Intel Celeron M Processor Dothan 1.6GHz or higher
Memory	Supports up to 2GB of 0.8" low profile DDR 266/333 MHz DIMM Core Logic Intel 855GME / ICH 4 (North / South)
Video	Intel Extreme Graphics 2
Audio	Software AC'97 Audio CODEC
LAN	Built-in high speed Ethernet 10/100Mbps LAN Controller
Firewire	Built-in OHCI 1394a 1.1 compliance Supports up to 400MB transfer rate
USB 2.0	Integrated 4 independent OHCI controller supporting USB 1.1 ports Integrated 1 EHCI controller supporting USB 2.0 ports Dynamic connection support to USB 2.0 or USB 1.1 devices
IDE	Dual Independent ATA-100/66/33 support
Hardware Monitor	System, Processor temperature, voltage
Power Management	ACPI 1.0b compliance and OS direct power management
Wake-on event:	RTC/USB keyboard/Modem/LAN/Keyboard/Mouse
Front Panel:	1 x IEEE 1394 Firewire port 1 x USB 2.0 / 1.1 port 1 x MIC port 1 x Ear phone output jack 1 x Power-on Button 1 x Reset button 1 x Power-on and HDD LED
Back Panel:	1 x RS232 COM port 1 x Parallel Printer port 1 x RJ45 10/100Mbps Fast Ethernet 1 x Line-out output jack 2 x USB 2.0 / 1.1 ports 1 x 15 pin VGA 1 x 12v DC power jack input
Dimension & Weight	6.1"(W) x 10.0"(D) x 2.17"(H) 15.5 x 25.5 x 5.5 cm 2.5kg (5.5lbs) (fully equipped)
AC/DC Adaptor	Input 100~240V 84 Watt AC universal Output 12V DC out

